Erasmus
School of
Economics

# ESE Beamer theme

Andreas Alfons

August 26, 2026

Erasmus University Rotterdam



# Looks of list environments

- Important point
- Not really an important point, but let's pretend it is

⟶ Command `\arrowitem` is a shortcut for `\item[$\longrightarrow$]`

1. Breathe in
2. Breathe out

ESE Beamer theme looks simple and nice

# Looks of block environments

**Making things stand out**

This looks really important

**Colors**

Official Erasmus colors are available, see the next slide

# Colors

The ESE Beamer theme defines the following official Erasmus colors:

`EURbrightgreen` (for digital purposes): RGB 12/128/102

`EURgreen`: RGB 0/35/40

`EURwarmgrey/EURwarmgray`: RGB 227/218/216 (not really useful)

`ESEyellow`: RGB 255/215/0

$\longrightarrow$ Command `\alert()` uses `EURbrightgreen` for highlighting

# Using the theme

$\longrightarrow$ Include `\usetheme{ESE}` in the preamble

$\longrightarrow$ Use `\ESEtitlepage` to generate the title page

Theme options:

- `framenumbers`: Display slide numbers in the bottom right corner
- `navigation`: Display a navigation bar on the left hand side
- `nologo`: Do not display the Erasmus logo in the bottom right corner
- `notes`: Include notes (generated with `\note{}` in between slides) in the final document
- `sectiontitles`: Display a slide with the section title at the start of each section

Example: `\usetheme[framenumbers, sectiontitles]{ESE}`



# Commands for mathematical notation

For mathematical notation inside math environments, the following commands are available:

- `\mat{}`: For formatting matrices, e.g., $\boldsymbol{X}$
- `\vect{}`: For formatting vectors, e.g., $\boldsymbol{x}$
- `\obs{}`: For formatting observations, e.g., $\mathbf{x}$

# Other commands povided by the theme

For writing about software, the following commands are available:

- `\proglang{}`: For highlighting programming languages, e.g., R (has no effect if you already use a sans serif font)
- `\pkg{}`: For highlighting software packages, e.g., `robmed`
- `\code{}`: For highlighting functions, e.g., `test_mediation()`

$\longrightarrow$ Special characters currently need to be escaped within those commands, e.g., `\_` for underscores