
Presentation Title

Subtitle

Author

Instituto Federal do Espiríto Santo
Campus Vitória

October 4, 2026



Schedule

1 Overview

2 Blocks


3 Boxes

4 Lists
- List items
- Numbered list
- Descriptive list


5 Tables

6 Figures

7 Equations and Codes
- Equations
- Programming



Overview



Overview

Normal text Alert Text Example Text **Emphasis Text**

Simple block

- ...

Example block

- ...

Alert block


- ...

A purple box


An orange box

A gray box

My price table			
Color	Price 1	Price 2	Price 3
Red	10.00	20.00	30.00
Green	20.00	30.00	40.00
Blue	30.00	40.00	50.00
Orange	60.00	90.00	120.00



Blocks



Blocks types

Simple block


- First point
- Second point
- Third point

Examples block


- First point
- Second point
- Third point

Alert block

- First point
- Second point
- Third point



Boxes



Boxes

...

...

...


...

...


...

...

...




Lists




Items

- ...
- ...
- ...



Numbered

1. ...
2. ...
3. ...




Descriptive

Theme 1: ...

Theme 2: ...

Theme 3: ...



Tables




Tables 1

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00




Tables 2

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00

My price table		
Couleur	Prix 1	Prix 2
Rouge	10.00	20.00
Vert	20.00	30.00
Bleu	30.00	40.00
Orange	60.00	90.00



Figures



Figure Example






Figure: Example images from the CIFAR-10 dataset.



Equations and Codes




Equation Example

Some random equation:

$$\frac{\partial}{\partial \theta_k} J(\theta) = \frac{\partial}{\partial \theta_k} \left[\frac{1}{m} \sum_{k=1}^{m} log(1 + e^{-y^{(i)} \theta^T x^{(i)}}) \right]$$

$$= \frac{1}{m} \sum_{k=1}^{m} \frac{1}{1 + e^{-y^{(i)} \theta^T x^{(i)}}} y^{(i)} x_k^{(i)}$$

$$= -\frac{1}{m} \sum_{k=1}^{m} h_\theta(-y^{(i)} x^{(i)}) y^{(i)} x_k^{(i)}$$



Code Example #1


```
def softmax_loss_naive(W, X, y, reg):
  """
  Softmax loss function, naive implementation (with loops)

  Inputs have dimension D, there are C classes, and we operate on minibatches
  of N examples.

  Inputs:
  - W: A numpy array of shape (D, C) containing weights.
  - X: A numpy array of shape (N, D) containing a minibatch of data.
  - y: A numpy array of shape (N,) containing training labels; y[i] = c means
    that X[i] has label c, where 0 <= c < C.
  - reg: (float) regularization strength

  Returns a tuple of:
  - loss as single float
  - gradient with respect to weights W; an array of same shape as W
  """
```

carbon
carbon.now.sh



Carbon

Code Example #2

```
import numpy as np
```

```
def code():
  # test comments #1
  if True:
    for _ in range(5):
      print("Hello World 5 times")
  return None
```

